DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/16/2013 FORM APPROVED

AND PLAN	of Correction of Correction	(X1) PROVIDER/SUPPLIER/CLIA IDENTIF/CATION NUMBER:	OCS MULTIPLE CONSTRUCTION		OMB NO. 0938		
			A BUILDING O1 - MAIN BUILDING O1		(X3) DATE SURVEY COMPLETED		
NAME OF P	ME OF PROMISES OF SUPPLIES		B. WING			1	
NAME OF PROVIDER OR SUPPLIER KINDRED NURSING AND REHABILITATION-SMITH COUNTY		STREET ACCRESS, CITY, STATE, 21P CODE 112 REALTH CARE OR CARTHAGE, TN 37030		04	<u>//04/2</u> 013		
(X4) ID PREFIX	SUMMARY ST	ATEMENT OF DEFICIENCIES					
TAG		Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION	PREFI) TAG	PROVIDERS PLAN OF COP (EACH CORRECTIVE ACTION CROSS-REFERENCED TO THE A DEFICIENCY)	CHOINNE	(X3) COMPLET DATE	
K 000	INITIAL COMMENTS		ко	K 000			
ļ	42 CFR 483.70(a)			POC ACCEP	TED		
	K3 BUILDING: 0101 K6 PLANAPPROVAL: 1983 K7 SURVEY UNDER: 2000 Existing K8 SNF/NF			APR 26 2013			
CO38 NI SS=E Example of the control	frame structure with a tag compartments. The fact automatic (wet) sprinkle structure and (dry pipe) A Comparative Federal conducted on 4/4/2013, Annual Survey on 3/3/2 Code of Federal Regular Requirements for Long During this Comparative Survey, Kindred Nursing Smith County was found with the Requirements for ledicare and Medicald, the findings that follow concompliance with Title regulations, 483.70 (a) events for the legislations, 483.70 (a) events for the legislations of the survey of the legislations of the legislat	ility has a complete or system inside the outside on the overhang. Monitoring Survey was following a State Agency 013 in accordance with 42 titons, Part 483: Femr Care Facilities. Federal Monitoring and Rehabilitation - not to be in compliance or Participation in lemonstrate 42, Code of Federal et seq. (Life Safety from CODE STANDARD	K 038	This Plan of Correction is the center allegation of compliance. Preparation and/or execution of this does not constitute admission or any provider of the parts of the facts allesset forth in the statement of deficient plan of correction is prepared and/or because it is required by the provision state law. K038 It is the practice of this Center exit access arranged so that exaccessible at all times in accordances are provided on exit declayed egress locking devices are provided on exit declayed egress locking device door on the 300 wing next to re 311 was adjusted to perform provided and the door op seconds when pressure was apdoor push bar.	s plan of correction reeman by the reeman by the read or conclusions cles. The entire or executed solely ons of federal and to maintain wits are readily dance with ress locking pors. The for the exit sident room operly on		

Any deficiency stategrant ending with an extensisk (*) denotes a deficiency which the institution may be excused from correcting providing it to determined that observed provide sufficient protection to the padents. (See instructions.) Except for nursing homes, the findings stated above and declosable 90 days days following the date these documents are made available to the facility. It deficiencies are cited, an approvide plan of correction are disclosable 14 manners.

DEPARTMENT OF HEALTH AND HUMAN SERVICES

PRINTED: 04/16/2013 CENTERS FOR MEDICARE & MEDICAID SERVICES FORM APPROVED STATEMENT OF DEFICIENCIES OMB NO. 0938-0391 (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: (X2) MULTIPLE CONSTRUCTION NO PLAN OF CORRECTION (X3) DATE SURVEY
COMPLETED A BUILDING OF - MAIN BUILDING OF 445172 B. WANG NAME OF PROVIDER OR SUPPLIER 04/04/2013 STREET ADDRESS, CITY, STATE, ZIP CODE KINDRED NURSING AND REHABILITATION-SMITH COUNTY 112 HEALTH CARE OR CARTHAGE, TN 37030 (X4) fD PREFIX SUMMARY STATEMENT OF DEFICIENCIES PROMDERS PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE D (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LEC IDENTEYING INFORMATION) (25) MPLÉTION DATE TAG TAG DEFICIENCY) Continued From page 1 K 038 K 038 Residents found to be affected by the deficient practice were not identified. Residents who have the potential to be This STANDARD is not met as evidenced by: affected by this deficient practice will be Based on observation and interview, the facility identified by use of this exit. This exit is only failed to provide properly installed delayed egress to be used in an emergency. locking devices. The deficient practice affected one of seven smoke compartments, staff and 20 All facility exit doors equipped with delayed residents. The facility has a capacity for 128 beds egress locking devices were tested on with a census of 97 the day of survey. 04/05/13 and opened within 15 seconds when pressure was applied to the door push Findings include: All facility exit doors equipped with delayed Observation on 4/4/2013 at 11:20 a.m., revealed egress locking devices will be tested 04/05/18, 04/12/13, 04/19/13, 04/26/13, the delayed egress exit door on the 300 wing next 04/29/13, 05/01/13, 05/03/13, 05/06/13, to resident room 311 failed to sound an audible 05/08/13, 05/10/13. alarm and open in 15 seconds when pressure was applied to the door push bar. All facility exit doors equipped with delayed egress locking devices are on the Center Interview at 11:20 e.m., with the Maintenance Preventive Maintenance Program, Each door Supervisor revealed the facility was not aware of is checked and tested weekly. Regular the requirement the delayed egress door sound Preventive Maintenance will resume it an alarm and open in 18 seconds when sufficient regular schedule after 05/10/13. pressure is applied to the door releasing push Documentation will be in the Preventive Maintenance (PM) Log. PM Logs will be bar. reviewed by the Safety Committee quarterly to ensure continued compliance. The census of 97 was verified by the Administrator on 4/4/2013. The finding was Non-compliance will be corrected acknowledged by the Administrator and verified immediately and reported to the Safety by the Maintenance Supervisor during the exit Committee. The Safety Committee reports to the PI (QA) Committee Monthly. interview on 4/4/2013. Actual NFPA Standard; NFPA 101, 7.2.1.6.1. Future compliance will be assured by Approved, listed, delayed-agress locks shall be monitoring by Plant Operations Director and permitted to be installed on doors serving low and Administrator. ordinary hazard contents in buildings protected throughout by an approved, supervised automatic fire detection system in accordance with Section 9.6, or an approved, supervised automatic

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/18/2013 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF GÖRRECTION		OX1) PROVIDEŘÍSUPPLIEROLIA IDENTIFICATION NUMBER:	,	Manifiple Construction Diding of - Main Building of		(X3) DATE SURVEY COMPLETED	
		445172	B. WING			04/0	14/2013
	omd eno r supplier Nursing and rehabi	LITATION-SMITH COUNTY		41	EET ADORESS, CITY, STATE, ZIP, CODE IZ HEALTH CARE OR ARTHAGE, TN: 27030		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATIONS	PREFI TAG		PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATI DEFICIENCY)	E	(RIS) COMPLETION DATE
K 038 K 072 SS≖E	sprinkler system in at and where permitted provided that the folio (a) The doors shall us approved, supervised in accordance with Sectuation of any heat more than two smokes supervised automatic accordance with Section (b) The doors shall us controlling the lock or (c) An irreversible prowithin 15 seconds up the release device remot be required to excrequired to be continued a seconds. The initial shall activate an audithe door. Once the doby the application of the door, once the doby the application of re-locking shall be by Exception: Where application of the door, a seconds shall be pen (d) **On the door adjetters not less than 1/8 in. (0.3 contrasting backgroup PUSH UNTIL ALARM DOOR CAN BE OPE NEPA 101 LIFE SAFI	cordance with Section 9.7, in Chapters 12 through 42, wing criteria are met. slock upon actuation of an automatic sprinkler system action 9.7 or upon the detectors of an approved, fire detection system in detectors of an approved, fire detection system in don 9.6. Hock upon loss of power locking mechanism, wees shall release the lock on application of a force to quired in 7.2.1.5.4 that shall need 15 lbf (67 N) nor be uously applied for more than ion of the release process ble signal in the vicinity of boar lock has been released device, manual means only, proved by the authority delay not exceeding 30 mitted. In can to the release device, by visible, durable sign in in, (2.5 cm) high and not com) in strake width on a ind that reads as follows:		072	This Plan of Correction is the center's credible allegation of compliance. Preparation and/or execution of this plan of condens not constitute admission or agreement by in provider of the truth of the facts alleged or consist forth in the statement of deficiencies. The explan of correction is prepared and/or executed because it is required by the provisions of feder state law. KO72 It is the practice of this Center to have of egress that are continuously maintafree of all obstructions or impediments instant use in the case of fire or other emergency. 7.1.10 Residents found to be affected by the deficient practice were not identified. Residents who have the potential to be affected by this deficient practice will be identified by need of assistance during or emergency.	rrection the clusions nitre solely ral and means sined to full	05/16/13

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/19/2013 FORM APPROVED OMB NO. 0838-0391

STATEMENT OF DESCRIPTIONS		· · · · · · · · · · · · · · · · · · ·		OMB N	OMB NO. 0838-039		
STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROYDEKISUPPLIERIÇLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. GUILDING 91 - MAIN BLILDING 91		DOJ DATÉ SURVEY COMPLETED	
		445172	B. WING.		04/04/2013		
	ROVIDER OR SUPPLIER NURSING AND REHABI	LITATION-SMITH COUNTY	s	TREET ADDRESS, CITY, STATE, ZIP CODE 112 HEALTH CARE DR CARTHAGE, TN 37030			
(X4) (D PREFIX TAG	SUMMARY STATEMENT OF DEFICENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORR (EACH CORRECTIVE ACTION SI (EACH CORRECTIVE ACTION SI (EACH CORRECTIVE ACTION SIZE OF THE AF (DEFICIENCY)	S PLAN OF CORRECTION CTIVE ACTION SHOULD BE NOED TO THE APPROPRIATE		
	This STANDARD is n Based on observation failed to maintain the obstructions and main full and instant use. The affected two of seven and 40 residents. The 128 beds with a censi Findings include: Observation on 4/4/20 p.m., during facility to placed a three foot wide emergency exit comid next to resident comes foot wide obtomans pa of egress. Both ottom egress comidor for me Interview on 4/4/2013 facility Maintenance S facility was not aware maintain the means of and maintaining the m instant use in the case The census of 97 was Administrator 4/4/2013 acknowledged by the	so from, or visibility of exits, not met as evidenced by: In and interview, the facility means of egress free of hair the means of egress to he deficient practice, staff a facility has the capacity for us of 97 the day of survey. 13 from 11:45 a.m. to 12:00 ur, revealed the facility de cloth ottoman in the ors in wings 600 and 700 and 700 and 700. 1603 and 702. The three of the means of re than 30 minutes. at 12:00 p.m., with the upervisor revealed that the of the requirement to egress free of obstructions eans of egress for full and of an emergency exit. Verified by the 3. The findings were Administrator and verified upervisor during the exit.	K 07		age 600 and 3 and 702 are tem. The Chair operations unable the patients n(s). Attracted the ottomans (04/24/12, 04/29/13, 05/05/13, by the DON, at Operations or in the case of 3, 04/28/13, 15/10/13) by urse, Plant trator red by C, Staff or or		

DEPARTMENT OF HEALTH AND HUMAN SERVICES PRINTED: 04/18/2013 CENTERS FOR MEDICARE & MEDICAID SERVICES FORM APPROVED OMB NO. 0938-0391 STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION (KUMBER): (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION (X3) DATE SURVEY A BUILDING 01 - MAIN BUILDING 01 445172 B. WING 04/04/2013 NAME OF PROMDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE KINDRED NURSING AND REHABILITATION-SMITH COUNTY 112 HEALTH CARE DR CARTHAGE, TN 37030 SUMMARY STATEMENT OF DEFICIENCIES. (X4) ID PREFIX PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE ID PREFIX TÁG (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) (XS) COMPLETION DATE TAG CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY K 072 Continued From page 4 K 072 MISCELLANOUS. The membership of the Safety Committee is: Actual NFPA Standard: NFPA 101, 7.1.10, Admin, DON, Staff Development Dir, Means of Egress Reliability. Directors of: Soc Services; Act; Payroll & 7.1.10.1*, Means of egress shall be continuously Benefits: Dietary Services, Hskg/Laundry. maintained free of all obstructions or Maintenance and representatives of CNT, impediments to full instant use in the case of fire Housekeeping/Laundry and Dietary. or other emergency. 7.1.10.2, Furnishings and Decorations in Means The Membership of the PI (QA) Committee is: Medical Dir. Admin, DON, ADON; MDS of Egress. 7.1.10.2.1, No furnishings, decorations, or other Coordinator, Staff Development Dir, Directors objects shall obstruct exits, access thereto. of: Soc Services; Act; Business Ofc; Dietary egress there from, or visibility thereof. Services, Hskg/Laundry, Maintenance, Med Records and PI (QA) Team Leader(s). 7.1.10.2.2, There shall be no obstructions by rallings, barriers, or gates that divide the open-The Administrator is responsible for overall compliance space into sections appurtenant to individual rooms, apartments, or other occupied spaces. The Administrator is responsible for overall Where the authority having jurisdiction finds the compliance. required path of travel to be obstructed by furniture or other movable objects, the authority shall be permitted to require that such objects be secured out of the way or shall be permitted to require that railings or other permanent barriers be installed to protect the path of travel against. encroachment 670 hours are: 2.5 pre, 4.5 onsite, 10 hours travel time, and 2 hours for write up.